

The following shelf-life applies to all un-opened LUBRIPLATE® or FISKE® brand lubricants:

PRODUCT	Bin	Drums	¼ drs	Pails	Cs.6/6lb cans	Cs.12/16 oz. tub	Cs. 4/7 lb cans	Cs. 4/1 gal cans	Cs. 2/2½ Gal jug	Cs.12/2 lb btl.	Cs. 12/1 qt btl.	Aerosol Can	Ctn Non-Aerosol Pump Spray	Cartridge	Tubes	Bricks & Tubs	Ctn 1 gal
35 Soluble Oil		2 yrs	2 yrs	2 yrs				2 yrs									
78 Oil-ZF	3 yr	3 yr		3 yr													
130-A, 130-AA Series		5 yr	5 yr	5 yr	5 yr	5 yr									5 yr		
377 Cutting Oil		5 yr															
730 Series		5 yr	5 yr	5 yr	5 yr									5 yr			
777		3 yr		3 yr													
981 & 989 Compr Oil		3 yr		3 yr													
1444		5 yr	5 yr	5 yr	5 yr									5 yr			
2100 MultiService Lubt-Lt./Med/Hvy		3 yr	3 yr														
2140 Tacky Grease		3 yr															
2143 AdhesiveMoly EP-1 & EP-2		3 yr															
2150 Alumaplex #0		3 yr															
2160 EGO Oils		3 yr															
2170 SYN EGO Oils		3 yr															
ATB Biobased EP-2			3 yr														
ATB LS HT		3 yr		3 yr													
Biobased EP-2		3 yr		3 yr										5 yr			
Bio-Based Green Hyd. Fluid Series		3 yr		3 yr													
Biobased Jack-Up Leg Grease			3 yrs														
Biodegradable Penetrating Fluid		4 yr	4 yr	4 yr				4 yr				4 yr	4 yr				
Bio-SynXtreme EGO-150 HF 32,46,68		5 yr	5 yr	5 yr										5 yr			
Clearplex Clearplex 1 Clearplex 2		3 yr	3 yr	3 yr										3 yr	10 yr		
CS-FG/EP Series		5 yr	5 yr	5 yr										5 yr			
Cut-N-Cool		2 yr		2 yr				2 yr									
FGL Series		3yr	3yr	3 yr	3 yr	3 yr						3 yr		3 yr			
FMO-AW Series	5 yr	5 yr	5 yr	5 yr				5 yr			5 yr	5 yr	5 yr				
HP-76		3 yr		3 yr			3 yr										
Hydro Flush		10 yr		10 yr				10 yr									
Lithium Brick Grease Lithplex Brick Grease																3 yr	
LowTemp Airline Lube							1 year										
POLY HP-2			3 yrs	3 yrs										6 yrs			

LUBRIPLATE and FISKE Product Shelf Life Statement

PRODUCT	Bin	Drums	¼ drs	Pails	Cs. 6/6 lb. cans	Cs.12/16 oz. tub	Cs. 4/7 lb cans	Cs. 4/1 gal cans	Cs. 2/2½ Gal jug	Cs.12/2 lb btl.	Cs. 12/1 qt btl.	Aerosol Can	Ctn Non-Aerosol Pump Spray	Cartridge	Tubes	Bricks & Tubs	Ctn 1 gal jug
ALL OTHER OILS	6 yr	6 yr	6 yr	6 yr	-	-	10 yr	10 yr	10 yr	10 yr	10 yr	10 yr	10 yr		10 yr	10 yr	
ALL OTHER GREASES	6 yr	6 yr	6 yr	6 yr	10 yr	10 yr	-	-	-	10 yr	-	10 yr	10 yr	10 yr	10 yr	10 yr	

Listed above are typical shelf-life recommendations. For shelf life validation on a specific lot batch, contact: LUBRIPLATE Lubricants Co., Technical Services @ 1-800-347-5343.

Shelf-life of LUBRIPLATE & FISKE brand lubricants are based on the date of manufacture. Several factors, including storage conditions of LUBRIPLATE® and FISKE® brand products can significantly alter the shelf life of the product.

RECOMMENDED STORAGE CONDITIONS FOR LUBRIPLATE® AND FISKE® LUBRICANTS:

1. Products should be stored between 40°F-120°F.
2. Products should be stored in a dry covered environment.
3. Products should not be stored in warm, direct sunlight.
4. Improper storage conditions can significantly alter the shelf life of the product. Such conditions would include temperature, moisture, open containers, etc.