



## Lubriplate's 4 Step Custom Color Coding Program

| LUBRIPLATE PRODUCT  | APPLICATIONS                      | DESCRIPTION   |
|---|-----------------------------------|---|
| <b>OILS / FLUIDS</b>  |                                   |   |
| <b>FMO-85 AW*</b><br>PART NO. L0880-060 / 5 GALLON PAIL       | <b>AIR LINE OIL</b>               | ISO 22 GRADE<br>USP WHITE MINERAL OIL<br>*NSF H1 FOOD MACHINERY GRADE                                 |
| <b>FMO-150 AW*</b><br>PART NO. L0879-060 / 5 GALLON PAIL      | <b>HYDRAULIC SYSTEMS</b>          | ISO 32 GRADE<br>USP WHITE MINERAL OIL<br>*NSF H1 FOOD MACHINERY GRADE                                 |
| <b>SFGO ULTRA 46*</b><br>PART NO. L0916-060 / 5 GALLON PAIL   | <b>AIR COMPRESSORS</b>            | ISO 46 GRADE<br>SYNTHETIC PAO-BASED<br>AIR COMPRESSOR FLUID<br>*NSF H1 FOOD MACHINERY GRADE           |
| <b>RCO-68FG*</b><br>PART NO. L0818-060 / 5 GALLON PAIL        | <b>REFRIGERATION COMPRESSOR</b>   | ISO 68 GRADE<br>SYNTHETIC PAO-BASED<br>REFRIGERATION COMP. FLUID<br>*NSF H1 FOOD MACHINERY GRADE      |
| <b>FMO-350 AW*</b><br>PART NO. L0882-060 / 5 GALLON PAIL      | <b>CHAIN OIL</b>                  | ISO 68 GRADE<br>USP WHITE MINERAL OIL<br>*NSF H1 FOOD MACHINERY GRADE                                 |
| <b>SFGO ULTRA-100*</b><br>PART NO. L0983-060 / 5 GALLON PAIL  | <b>VACUUM PUMPS</b>               | ISO 100 GRADE<br>SYNTHETIC PAO-BASED<br>LUBRICATING OIL<br>*NSF H1 FOOD MACHINERY GRADE               |
| <b>SFGO ULTRA-220*</b><br>PART NO. L0985-062 / 55 GALLON DRUM | <b>HELICAL GEAR BOXES</b>         | ISO 220 GRADE<br>SYNTHETIC PAO-BASED<br>LUBRICATING OIL<br>*NSF H1 FOOD MACHINERY GRADE               |
| <b>SFGO ULTRA-460*</b><br>PART NO. L0985-062 / 55 GALLON DRUM | <b>WORM GEAR BOXES</b>            | ISO 460 GRADE<br>SYNTHETIC PAO-BASED<br>LUBRICATING OIL<br>*NSF H1 FOOD MACHINERY GRADE               |
| <b>GREASES</b>  |                                   |   |
| <b>SYNXTREME FG-2/220*</b><br>PART NO. L0309-098 / CARTRIDGE  | <b>GENERAL GREASE BEARINGS</b>    | NLGI #2 GRADE<br>MULTI-PURPOSE, SYNTHETIC<br>CALCIUM SULFONATE GREASE<br>*NSF H1 FOOD MACHINERY GRADE |
| <b>CLEARPLEX 1*</b><br>PART NO. L0350-035 / 35 lb PAIL        | <b>CENTRALIZED GREASE SYSTEMS</b> | NLGI #1 GRADE<br>USP MINERAL OIL BASED<br>ALUMINUM COMPLEX GREASE<br>*NSF H1 FOOD MACHINERY GRADE     |

**Lubriplate Lubricants Company**  
 Corporate Headquarters: 129 Lockwood Street / Newark, NJ 07105  
 Tel: 800-733-4755 / Fax: 973-589-4432 / Fax: 800-347-5329  
 Midwest Office & Plant: 1500 Oakdale Ave. / Toledo, OH 43605  
 Tel: 419-691-2491 / Fax: 419-693-3806 / Fax: 800-347-5348  
 www.lubriplate.com / Email: LubeExpert@lubriplate.com

\*NSF H1 Registered Food Machinery Grade

NSF  
 National Sanitation Foundation  
 800-242-2411

U  
 PARVEE

M  
 HALAL

## Simplify And Improve Your Plant Lubrication Maintenance Operations With Lubriplate's Color Coding Program.

- Improves lubrication maintenance efficiency.
- Saves time identifying the correct lubricant.
- Prevents lubricant misapplications.
- QR codes provide links to important product and safety information.



| LUBRIPATE PRODUCT   | APPLICATIONS               | DESCRIPTION   |
|---|----------------------------|---|
| <b>OILS / FLUIDS</b>  |                            |   |
| <b>FMO-85 AW*</b><br>PART NO. L0885-060 / 5 GALLON PAIL       | AIR LINE OIL               | ISO 22 GRADE<br>USP WHITE MINERAL OIL<br>*NSF H1 FOOD MACHINERY GRADE                                 |
| <b>FMO-150 AW*</b><br>PART NO. L0875-060 / 5 GALLON PAIL      | HYDRAULIC SYSTEMS          | ISO 22 GRADE<br>USP WHITE MINERAL OIL<br>*NSF H1 FOOD MACHINERY GRADE                                 |
| <b>SFGO ULTRA 46*</b><br>PART NO. L0916-060 / 5 GALLON PAIL   | AIR COMPRESSORS            | ISO 46 GRADE<br>SYNTHETIC PAO-BASED<br>AIR COMPRESSOR FLUID<br>*NSF H1 FOOD MACHINERY GRADE           |
| <b>RCO-69FG*</b><br>PART NO. L0816-060 / 5 GALLON PAIL        | REFRIGERATION COMPRESSOR   | ISO 68 GRADE<br>SYNTHETIC PAO-BASED<br>REFRIGERATION COMP FLUID<br>*NSF H1 FOOD MACHINERY GRADE       |
| <b>FMO-350 AW*</b><br>PART NO. L0882-060 / 5 GALLON PAIL      | CHAIN OIL                  | ISO 68 GRADE<br>USP WHITE MINERAL OIL<br>*NSF H1 FOOD MACHINERY GRADE                                 |
| <b>SFGO ULTRA-100*</b><br>PART NO. L0963-060 / 5 GALLON PAIL  | VACUUM PUMPS               | ISO 100 GRADE<br>SYNTHETIC PAO-BASED<br>LUBRICATING OIL<br>*NSF H1 FOOD MACHINERY GRADE               |
| <b>SFGO ULTRA-220*</b><br>PART NO. L0969-062 / 55 GALLON DRUM | HELICAL GEAR BOXES         | ISO 220 GRADE<br>SYNTHETIC PAO-BASED<br>LUBRICATING OIL<br>*NSF H1 FOOD MACHINERY GRADE               |
| <b>SFGO ULTRA-460*</b><br>PART NO. L0985-062 / 55 GALLON DRUM | WORM GEAR BOXES            | ISO 460 GRADE<br>SYNTHETIC PAO-BASED<br>LUBRICATING OIL<br>*NSF H1 FOOD MACHINERY GRADE               |
| <b>GREASES</b>  |                            |   |
| <b>SYNXTREME FG-2/220*</b><br>PART NO. L0398-098 / CARTRIDGE  | GENERAL GREASE BEARINGS    | NLGI #2 GRADE<br>MULTI-PURPOSE, SYNTHETIC<br>CALCIUM SULFONATE GREASE<br>*NSF H1 FOOD MACHINERY GRADE |
| <b>CLEARPLEX 1*</b><br>PART NO. L0350-062 / 35 lb PAIL        | CENTRALIZED GREASE SYSTEMS | NLGI #1 GRADE<br>USP MINERAL OIL-BASED<br>ALUMINUM COMPLEX GREASE<br>*NSF H1 FOOD MACHINERY GRADE     |

Lubriplate® Lubricants Company  
Corporate Headquarters: 125 Lockwood Street / Newark, NJ 07105  
Tel: 800-733-4755 / Fax 973-889-4432 / Fax 800-347-5329  
Midwest Office & Plant: 1500 Oxbridge Ave. / Toronto, ON M3B 6S5  
Tel: 416-891-2491 / Fax 416-893-3800 / Fax 800-347-5348  
www.lubriplate.com / Email: Lubriplate@lubriplate.com

\*NSF H1 Registered Food Machinery Grade

NSF PURE HALAL

# 2


## Lubriplate Will Then Create Customized Color Coded Lubrication Charts Specifically For Your Plant.

- Color coded charts provide quick and easy identification of the correct lubricant for each application.
- Charts are custom made. Lubricants and applications match up to specific machinery and equipment in your plant.
- Quickly identifies NSF H1 food grade lubricants which increases safety and simplifies food safety audits in food processing plants.
- Charts are available in a variety of sizes - Standard sizes are 24" x 36" (poster size), printed on PVC board, or 12" x 18" mounted on foam board or plastic laminated, or smaller 11" x 14" or 8 1/2" x 11" plastic laminated.
- QR codes provide links to important product and safety information.

# 3

## Lubriplate Will Also Provide Color Coded Lubricant Storage Tags, Stickers Or Signs.

- Organizes your oil storage room.
- Allows quick identification of the correct lubricant needed, saving time and money.
- Colors and/or shapes are used to identify each lubricant.
- Printed on sticker material, PVC plastic or magnetic backed vinyl material for ease of application on steel storage containers.
- QR codes provide links to important product and safety information.



# 4

## Color Coded Tags Or Stickers Will Be Provided For Individual Machine Components Throughout Your Plant.


- Quickly identifies the correct lubricant for each piece of equipment in your plant.
- Machinery tags or stickers match the application chart(s) and lubricant storage tags.
- Standard sizes are 3 3/8" x 2 1/8" or Small 2 1/8" x 1 1/8"
- Tags can be customized with your logo.
- QR codes provide links to important product and safety information.



Back side options

Note: Oil storage and dispensing equipment shown is not part of this program and is not provided by Lubriplate.

# Lubriplate® Regional Managers



## Western Canada:

**Peter Liston**  
Summit Agencies Ltd.  
780-406-7462  
peter@summitagencies.ca

**Mike McPhee**  
Summit Agencies Ltd.  
604-209-0987  
mike@summitagencies.ca

## Eastern Canada:

**Mechanical Sales Co.**  
800-263-7226

**Gord Jopling**  
705-734-3762  
gordj@mesaco.com  
Northern Ontario

**Josh McCaughan**  
519-830-9830  
joshm@mesaco.com  
Southwestern Ontario

**Marc Veronneau**  
514-225-6797  
marcv@mesaco.com  
Quebec

**Hawaii Inquiries:**  
**Jim Girard - Executive Vice President**  
& Chief Marketing Officer:  
800-733-4755 / JimG@lubriplate.com

## Western Regional Managers

## Central Regional Managers

## Eastern Regional Managers

**JC Trayser**  
541-280-3692  
jctrayser@lubriplate.com

**Chris Qualizza**  
262-339-3659  
cqualizza@lubriplate.com

**Chris Franzoni**  
586-530-6922  
cfranzoni@lubriplate.com

**Ed Blank Jr.**  
419-320-0899  
ERBlank@lubriplate.com

**Chris Kniestedt**  
603-484-5262  
ckniestedt@lubriplate.com

**Dan O'Brien**  
801-550-0383  
dobrien@lubriplate.com

**Brian Joens**  
bjoens@lubriplate.com  
515-320-1012

**Scott Besedick**  
219-689-2365  
sbesedick@lubriplate.com

**Tom Martin**  
717-844-2002  
tmartin@lubriplate.com

**John Girard**  
908-675-6889  
johng@lubriplate.com

**Josh Anderson**  
707-398-3896  
janderson@lubriplate.com

**Roger Thostenson**  
972-998-0344  
rthostenson@lubriplate.com

**Jeff Seymour**  
219-921-6800  
js Seymour@lubriplate.com

**David Roberts**  
407-760-7933  
droberts@lubriplate.com

**Robert A. Reh Jr.**  
864-270-8558  
rrehjr@lubriplate.com

**Ellie Girard**  
908-489-7355  
egirard@lubriplate.com

**Mike Wrocklage**  
713-725-1294  
mwrocklage@lubriplate.com

**Nick Guerrero**  
973-934-1929  
nguerrero@lubriplate.com  
Covered Areas: So. FL, PR,  
Central & South America

**Oil Analysis & On-Site Lubrication Training Available to  
Lubriplate Customers at No-Cost.**

## Lubriplate Lubricants Company

129 LOCKWOOD STREET / NEWARK, NJ 07105 / PHONE 800-733-4755 / FAX 800-347-5329  
TOLEDO, OH OFFICE / PHONE 419-691-2491 / FAX 800-347-5348

